

**2150XL Fixer**

ACCORDING TO WORK HEALTH AND SAFETY (WHS) REGULATIONS

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**Product Name 2150XL Fixer  
Product code 1992182**1.2 Relevant identified uses of the substance or mixture and uses advised against**Identified Use(s) Photographic Fixer Solution  
Uses Advised Against Not known.**1.3 Details of the supplier of the safety data sheet**Manufacturer  
Company Identification HARMAN Technology Ltd  
Address of Manufacturer Ilford Way  
Mobberley  
Knutsford  
Cheshire East  
Postal code WA16 7JL  
Telephone: +44(0)1565 650000  
Fax +44(0)1565 872734  
E-mail web-admin@harmantechnology.com  
Office hoursSupplier  
Company Identification C R Kennedy & Co  
Address of Supplier For local contact information please see website:  
<https://crkphotoimaging.com.au/office-locations>  
Postal code VIC 3207  
NSW 2020  
QLD 4000/4870  
WA 6021  
SA 5067  
TAS 7000  
Telephone: VIC - +61 (03) 9823 1555  
NSW - +61 (02) 9552 8300  
QLD - +61 (07) 3632 6777/ +61 (07) 4031 5399  
WA - +61 (08) 9489 8500  
SA - +61 (08) 8410 0533  
TAS - +61 (03) 9823 1850  
E-mail <https://crkphotoimaging.com.au/contact-us>**1.4 Emergency telephone number**NSW Poisons Information Centre  
Address The Children's Hospital at Westmead  
Locked Bag 4001  
Westmead, NSW 2145  
Emergency Phone No. 13 11 26**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

In accordance to GHS as implemented under WHS Regulations Not classified as dangerous for supply/use.

**2.2 Label elements**In accordance to GHS as implemented under WHS Regulations  
Product Name 2150XL Fixer  
Hazard Pictogram(s) None.  
Signal Word(s) None.  
Hazard Statement(s) None.  
Precautionary Statement(s) P102: Keep out of reach of children.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P501: Dispose of contents in accordance with local, state or national legislation.

**2150XL Fixer****2.3 Other hazards**

None known.

**2.4 Additional Information**

None.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

**3.2 Mixtures**

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Ammonium Thiosulphate	7783-18-8	30-60%	Not classified	None
Sodium Bisulphite	7631-90-5	1-5%	Acute Tox. 4 H302	GHS07
Acetic Acid	64-19-7	1-5%	Flam. Liq. 3 H226 Skin Corr. 1A H314	GHS02 GHS05

For full text of H/P Statements see section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Wash out mouth with water.

**4.2 Most important symptoms and effects, both acute and delayed**

None anticipated. Treat symptomatically.

**4.3 Indication of any immediate medical attention and special treatment needed**

Unlikely to be required but if necessary treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

**5.2 Special hazards arising from the substance or mixture**

None anticipated. Heating may cause decomposition.

**5.3 Advice for firefighters**

As appropriate for surrounding fire.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

**6.2 Environmental precautions**

Do not release large quantities into the surface water or into drains.

**6.3 Methods and material for containment and cleaning up**

Adsorb spillages onto sand, earth or any suitable adsorbent material.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Not known.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep out of reach of children.

Storage temperature Ambient.

Storage life Stable under normal conditions.

**2150XL Fixer**

Incompatible materials None known.  
**7.3 Specific end use(s)** Photographic Fixer Solution

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

## 8.1.1 Occupational Exposure Limits

WORKPLACE EXPOSURE STANDARDS FOR AIRBORNE CONTAMINANTS						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Acetic acid	64-19-7	10	25	15	37	
Sodium bisulphite	7631-90-5		5			

Region Australia  
 Source Workplace Exposure Standards For Airborne Contaminants, 2024, Australia.

Remark Notes

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

## 8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN ISO 16321-1).



Skin protection Not normally required.



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state Liquid.  
 Colour Not known.  
 Odour Not known.  
 Melting point/freezing point Not known.  
 Boiling point or initial boiling point and boiling range Not known.  
 Flammability Not known.  
 Lower and upper explosion limit Not known.  
 Flash Point Not known.  
 Auto-ignition temperature Not known.  
 Decomposition Temperature Not known.  
 pH Not known.  
 Kinematic Viscosity Not known.  
 Solubility Solubility (Water) : Not known.  
 Solubility (Other) : Not known.  
 Partition coefficient n-octanol/water (log value) Not known.  
 Vapour pressure Not known.  
 Density and/or relative density Not known.  
 Relative vapour density Not known.  
 Particle characteristics Not known.

**2150XL Fixer****9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

None anticipated.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

Acute toxicity - Ingestion

Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 12834.33

Acute toxicity - Skin Contact

Calculation method : Not classified.

Acute toxicity - Inhalation

Calculation method : Not classified.

Skin corrosion/irritation

Calculation method : Not classified.

Serious eye damage/irritation

Calculation method : Not classified.

Skin sensitization data

Calculation method : Not classified.

Respiratory sensitization data

Calculation method : Not classified.

Germ cell mutagenicity

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Reproductive toxicity

Calculation method : Not classified.

Lactation

Calculation method : Not classified.

STOT - single exposure

Calculation method : Not classified.

STOT - repeated exposure

Calculation method : Not classified.

Aspiration hazard

Calculation method : Not classified.

**11.2 Other information**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Toxicity - Aquatic invertebrates

Low toxicity to invertebrates.

Toxicity - Fish

Low toxicity to fish.

Toxicity - Algae

Low toxicity to algae.

Toxicity - Sediment Compartment

Not classified.

Toxicity - Terrestrial Compartment

Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose at suitable refuse site.

**13.2 Additional Information**

No special precautions are required for this product.

**SECTION 14: TRANSPORT INFORMATION****Not classified as hazardous for transport.**

**2150XL Fixer**

<b>14.1 UN number</b>	Not applicable
<b>14.2 UN proper shipping name</b>	Not applicable
<b>14.3 Transport hazard class(es)</b>	Not applicable
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not classified as a Marine Pollutant.
<b>14.6 Special precautions for user</b>	Not known
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not known

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Australian Inventory of Industrial Chemicals (AIIIC) Listed : 7732-18-5, 7783-18-8, 127-09-3, 64-19-7, 7631-90-5  
 IMAP (Inventory Multi-Tiered Assessment and Prioritisation) – Stage One chemicals 7783-18-8, 127-09-3, 64-19-7, 7631-90-5  
 List of PECs (Priority Existing Chemicals) Not listed  
 NPI (National Pollutant Inventory) 64-19-7  
 Schedule 10 of WHS Regulations – Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals Not listed

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)	None.  GHS02: GHS: Flame GHS05: GHS: Corrosion GHS07: GHS: Exclamation mark
Hazard classification	Flam. Liq. 3 : Flammable liquid, Category 3 Acute Tox. 4 : Acute toxicity, Category 4 Skin Corr. 1A : Skin corrosion/irritation, Category 1A
Hazard Statement(s)	H226: Flammable liquid and vapour. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage.
Precautionary Statement(s)	P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service LTEL : Long term exposure limit STEL : Short term exposure limit STOT : Specific Target Organ Toxicity
Key literature references and sources for data used to compile the SDS	In accordance to GHS as implemented under WHS Regulations
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves

**2150XL Fixer**

of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.