Ilfotec HC Film Developer USA/Can

ACCORDING TO HAZARDOUS PRODUCTS REGULATIONS (HPR)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Ilfotec HC Film Developer USA/Can **Product Name**

Product Code

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Photographic Developer Solution

Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification HARMAN Technology Ltd

Address of Manufacturer Ilford Way Mobberley

Knutsford Cheshire East **WA16 7JL**

Postal code +44(0)1565 650000 Telephone: +44(0)1565 872734 Fax

E-mail web-admin@harmantechnology.com

Office hours Supplier

Company Identification Amplis Foto Inc. Address of Supplier 22 Telson Street

Markham Ontario

Postal code L3R 1E5 Telephone: 905 477 4111 905 477 2502 Fax E-mail christine@amplis.com

Office hours

1.4 Emergency telephone number

Canadian Association for Poison Centres and Clinical Toxicology

Emergency Phone Number

National Helpline (Ex. Québec & Nunavut) - 1-844-764-7669

Centre antipoison du Québec (CAPQ) - 1-800-463-5060

Nunavut - Contact your Local Health Centre

contact@infopoison.ca Contact

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Hazardous Products Regulations Acute Tox. 4: Harmful if swallowed.

Skin Irrit. 2: Causes skin irritation.

Skin Sens. 1B: May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2: Suspected of causing genetic defects.

Carc. 2: Suspected of causing cancer.

Repr. 2 :Suspected of damaging fertility or the unborn child.

STOT RE 2: May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Product Name Ilfotec HC Film Developer USA/Can

Hazard Pictogram(s)



GHS05



GHS08



Signal Word(s) Danger

Hazard Statement(s) H302: Harmful if swallowed.

H315: Causes skin irritation.

Ilfotec HC Film Developer USA/Can

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H361: Suspected of damaging fertility or the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s) P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)	
2,2'-iminodiethanoldiethanolamine	111-42-2	10- 30%	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT RE 2 H373	GHS05 GHS08 GHS07	
2,2' -oxybisethanoldiethylene glycol	111-46-6	10- 30%	Acute Tox. 4 H302 STOT RE 2 H373	GHS08 GHS07	
Hydroquinone	123-31-9	5-10%	Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351	GHS05 GHS08 GHS07	
N-carboxymethyliminobis(ethylenenitrilo)tetra(acetic acid)	67-43-6	1-5%	Eye Irrit. 2B H320 Acute Tox. 4 H332 Repr. 2 H361	GHS08 GHS07	
4-methyl-1-phenyl-3-pyrazolidone	2654-57-1	<1%	Acute Tox. 4 H302 Skin Sens. 1 H317	GHS07	
pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate	140-01-2	<1%	Acute Tox. 4 H332 Repr. 2 H361	GHS08 GHS07	

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation IF exposed or concerned: Get medical advice/attention. Skin Contact

Take off immediately all contaminated clothing and wash it before reuse. If skin

irritation occurs: Get medical advice/attention. Specific treatment (see Medical

Advice on this label). IF exposed or concerned:

Rinse cautiously with water for several minutes. Remove contact lenses, if present Eye Contact

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Rinse mouth. Immediately call a POISON CENTER/doctor.

Ingestion

Ilfotec HC Film Developer USA/Can

4.2 Most important symptoms and effects, both acute and delayed

Causes burns. Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Immediately call a POISON

CENTER/doctor. Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media As appropriate for surrounding fire.

Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapors.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and

watercourses.

6.4 Reference to other sections

See Also Section 8. 13.

SECTION 7: HANDLING AND STORAG

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke

when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Keep out of reach of children.

Storage temperature

Stable under normal conditions. Storage life

Incompatible materials None known.

7.3 Specific end use(s)

Photographic Developer Solution

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Lim	nits					
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA ma/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Diethanolamine (2,2'- Iminodiethanol)	111-42-2	ррпп)	1	(ррііі)	(mg/m/)	C3, Pc, IFV
Hydroquinone (Dihydroxybenzene)	123-31-9		1			C3, S(D)

Region

Canada - English Regulation respecting occupational health and safety, Permissible Exposure Values for Airborne Contaminants. January 2023. Quebec. Canada.

Remark

C3 carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily

SKIN (percutaneous): The designation "Pc" in the Designation and remarks column refers to the potentially significant contribution to the overall Рс exposure by the cutaneous route. Exposure is by contact with vapours or, of probable greater significance, by direct skin contact with the

Ilfotec HC Film Developer USA/Can

substance. The cutaneous route includes mucous membranes and the eyes.

IFV inhalable fraction and vapour

S(D) A substance that, through skin contact, shows specific signs of sensitization on the skin

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN ISO 16321-1).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough

time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards None known.

3.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.

Color Not known.

Odor Not known.

Melting Point/Freezing Point Not known.

Boiling point or initial boiling point and boiling range
Flammability Not known.

Lower and upper explosion limit Not known.

Lower and upper explosion limit

Flash Point

Auto-ignition temperature

Decomposition Temperature

PH

Not known.

Solubility Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient n-octanol/water (log Not known.

value)

vapor pressure Not known.

Density and/or relative density Not known.

Relative vapor density Not known.

Particle characteristics Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Ilfotec HC Film Developer USA/Can

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method : Harmful if swallowed.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 1082.87

Acute toxicity - Skin Contact Calculation method : Not classified. Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 466.58

Skin corrosion/irritation Calculation method : Causes skin irritation.

Serious eye damage/irritation

Calculation method : Causes serious eye damage.

Skin sensitization data

Calculation method : May cause an allergic skin reaction.

Respiratory sensitization data

Calculation method: Not classified.

Germ cell mutagenicity Calculation method : Suspected of causing genetic defects.

Carcinogenicity Calculation method : Suspected of causing cancer.

Reproductive toxicity Calculation method : Suspected of damaging fertility or the unborn child.

Lactation Calculation method : Not classified. STOT - single exposure Calculation method : Not classified.

STOT - repeated exposure Calculation method : May cause damage to organs through prolonged or repeated

exposure.

Aspiration hazard Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse

site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Ilfotec HC Film Developer USA/Can

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

This product has been classified in accordance with HPR and the SDS contains all the information required by HPR.

15.1 Canadian Regulations

111-42-2, 123-31-9, 111-46-6, 2654-57-1, 7732-18-5, 67-43-6, 7647-15-6, Domestic Substances List (DSL)

7757-82-6, 21049-70-7, 140-01-2

Export Control List Not listed Priority Substances List (PSL) Not listed

111-42-2, 123-31-9, 111-46-6 Toxic Substances List National Pollutant Release Inventory 111-42-2, 123-31-9, 111-46-6

(NPRI) Substance List

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05





Hazard classification

Acute Tox. 4: Acute toxicity, Category 4 Skin Irrit. 2: Skin corrosion/irritation, Category 2 Skin Sens. 1: Skin sensitization, Category 1 Skin Sens. 1B: Skin sensitization, Category 1B Eye Dam. 1: Serious eye damage/irritation, Category 1

Eye Irrit. 2B: Serious eye damage/irritation, Category 2B Acute Tox. 4: Acute toxicity, Category 4 Muta. 2: Germ cell mutagenicity, Category 2 Carc. 2: Carcinogenicity, Category 2 Repr. 2: Reproductive toxicity, Category 2

STOT RE 2: Specific target organ toxicity — repeated exposure, Category 2 Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s) H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

H320: Causes eye irritation. H332: Harmful if inhaled.

H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H361: Suspected of damaging fertility or the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s) P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust/fume/gas/mist/vapors/spray. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P264: Wash hands and exposed skin thoroughly after handling.

Ilfotec HC Film Developer USA/Can

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention.

P310: Immediately call a POISON CENTER/doctor.

P314: Get medical advice/attention if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P330: Rinse mouth.

P332+P313: If skin irritation occurs: Get medical advice/attention.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
LTEL : Long term exposure limit
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity

Key literature references and sources for Hazardous Products Regulations

data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.