Ilfosol 3 Film Developer (USA/CAN)

ACCORDING TO US CFR 1910.1200

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Ilfosol 3 Film Developer (USA/CAN)

Product code 1131778

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Photographic Developer Solution

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification HARMAN Technology Ltd

Address of Manufacturer Ilford Way

Mobberley Knutsford Cheshire East WA16 7JL

Postal code WA16 7JL
Telephone: +44(0)1565 650000
Fax +44(0)1565 872734

E-mail web-admin@harmantechnology.com

Office hours Supplier

Company Identification Roberts Distributors L.P. Address of Supplier 220 E Saint Clair St.

Indianapolis IN

Zip code 46204 USA Telephone: +1 877-281-6405

E-mail info@robertsdistributors.com

Office hours

1.4 Emergency telephone number State & Territory Poison Help Centres

Emergency Phone No. 1-800-222-1222
Contact PoisonHelp@hrsa.gov

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

US CFR 1910.1200 Eye Irrit. 2A :Causes serious eye irritation.

Carc. 2: Suspected of causing cancer.

2.2 Label elements

Product Name

According to US CFR 1910.1200
Ilfosol 3 Film Developer (USA/CAN)

Hazard Pictogram(s)



GHS08



Signal Word(s) Warning

Hazard Statement(s) H319: Causes serious eye irritation.

H351: Suspected of causing cancer.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

Contains: (Hydroquinone) May produce an allergic reaction. This product contains: 95-14-7 (Endocrine disrupting properties)

Ilfosol 3 Film Developer (USA/CAN)

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
sodium carbonate	497-19-8	1-5%	Eye Irrit. 2A H319	GHS07
Hydroquinone	123-31-9		Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351	GHS05 GHS08 GHS07
4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one	13047-13-7	<1%	Acute Tox. 4 H302	GHS07

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Treat symptomatically. Skin Contact Treat symptomatically.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and

watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

Ilfosol 3 Film Developer (USA/CAN)

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye

protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up.

Storage temperature Ambient.

Stable under normal conditions Storage life

Incompatible materials None known.

7.3 Specific end use(s)

Photographic Developer Solution

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Hydroquinone (Dihydroxybenzene)	123-31-9		1			ACGIH TLV, DSEN,
						A3
Hydroquinone; 1,4-benezendiol;	123-31-9		2			OSHA PEL
Dihydroxybenzene						
Hydroquinone (Dihydroxybenzene)	123-31-9				2	NIOSH REL Z-1,
						C1, ST [15min]
Hydroquinone (Dihydroxybenzene)	123-31-9		2			OSHA PEL Z-1

Remark ACGIH TLV The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®), 2022

DSEN

May cause dermal sensitization
Confirmed Animal Carcinogen with Unknown Relevance to Humans OSHA PEL

Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs), 2019
National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical NIOSH REL Z-1

Hazards table Z-1: Up to 10-hour time weighted average (TWA) during a 40-hour work week, 2022 Ceiling limit of Short-term Exposure Limit

C1 ST [15min] Short Term Exposure Limit with 15min duration

OSHA PEL Z-1 Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) from 29 CFR 1910.1000 Z-1 Table, 2022

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing

facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).

Wear protective clothing and gloves: Impervious gloves (EN 374). Skin protection



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known



Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Ilfosol 3 Film Developer (USA/CAN)

Appearance Liquid.

Colour: Not known.

Odour Not known. Odour threshold Not known. Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flash Point Not known Evaporation rate Not known. Flammability (solid, gas) Not known. Upper/lower flammability or explosive Not known.

limits

Vapour pressure Not known.
Vapour density Not known.
Density (g/ml) Not known.
Relative density Not known.

Solubility(ies) Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature (°C)
Viscosity
Explosive properties
Oxidising properties
Not known.
Not known.
Not known.
Not known.

Oxidising properties

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 48318.52

Acute toxicity - Skin Contact Calculation method : Not classified.
Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 2331.99

Skin corrosion/irritation Calculation method : Not classified.

Serious eye damage/irritation Calculation method : Causes serious eye irritation.

Skin sensitization data

Respiratory sensitization data

Germ cell mutagenicity

Calculation method : Not classified.

Calculation method : Not classified.

Calculation method : Not classified.

Carcinogenicity Calculation method : Suspected of causing cancer.

Reproductive toxicity
Lactation
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Ilfosol 3 Film Developer (USA/CAN)

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known. Toxicity - Algae Not known. Toxicity - Sediment Compartment Not classified. Toxicity - Terrestrial Compartment Not classified. 12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Other adverse effects

Listed in:

List II: Substances under evaluation for endocrine disruption under an EU legislation

95-14-7 (Environment)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Toxic and hazardous substances (29 Listed: 123-31-9

CFR 1910; Subpart Z)

Not listed

National emission standards for hazardous air pollutants (40 CFR 61.01)

SARA Title III Section 313

Listed: 123-31-9

Listed: 7732-18-5 (Active), 7757-83-7 (Active), 497-19-8 (Active), 123-31-9 (Active), TSCA (Toxic Substance Control Act)

13047-13-7 (Active), 140-01-2 (Active), 95-14-7 (Active), 86-93-1 (Active), 127-09-3

(Active)

CAA 602 - Ozone Depleting Substances Not listed

(ODS)

15.2 US State Regulations

State Right to Know Lists Proposition 65 (California)

Listed: 123-31-9, 95-14-7 Massachusetts Minnesota Listed: 123-31-9 New Jersey

Pennsylvania Rhode Island 15.3 Other

OSPAR List of Chemicals for Priority Action OSHA (List of Highly Hazardous Chemicals, Toxics and Reactives)

Generated by HazMix™ Page: 5 - 6 Revision: 1

Not listed

Not listed

Not listed

Listed: 123-31-9

Listed: 123-31-9

Listed: 123-31-9

Ilfosol 3 Film Developer (USA/CAN)

NTP (National Toxicology Program) Not listed IARC (International Agency for Research on Cancer) Listed: 123-31-9

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)





GHS05: GHS: Corrosion

Hazard classification Acute Tox. 4: Acute toxicity. Category 4

Skin Sens. 1B: Skin sensitization, Category 1B Eye Dam. 1: Serious eye damage/irritation, Category 1 Eye Irrit. 2A: Serious eye damage/irritation, Category 2A

Muta. 2: Germ cell mutagenicity, Category 2 Carc. 2: Carcinogenicity, Category 2

Hazard Statement(s) H302: Harmful if swallowed.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.

H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

Precautionary Statement(s) P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service LTEL: Long term exposure limit STEL : Short term exposure limit STOT: Specific Target Organ Toxicity

Key literature references and sources for US CFR 1910.1200

data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.