### 2000RT Machine Paper Developer

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

2000RT Machine Paper Developer **Product Name** 

Product code 1758056

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Photographic Developer Solution

Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification HARMAN Technology Ltd

Address of Manufacturer Ilford Way Mobberley

Knutsford Cheshire East **WA16 7JL** 

Postal code +44(0)1565 650000 Telephone: +44(0)1565 872734 Fax

E-mail web-admin@harmantechnology.com

Office hours Supplier

Company Identification HARMAN Technology Ltd

Address of Supplier Ilford Way

Mobberley Knutsford Cheshire East **WA16 7JL** 

Postal code +44(0)1565 650000 Telephone: +44(0)1565 872734 Fax

E-mail web-admin@harmantechnology.com

Office hours

1.4 Emergency telephone number

National response centre

Address **NHS Direct** Emergency Phone No. +44 111

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Skin Sens. 1B: May cause an allergic skin reaction.

Eye Irrit. 2: Causes serious eye irritation. UK SI 2020/1567

Muta. 2: Suspected of causing genetic defects. Carc. 2: Suspected of causing cancer. Aquatic Acute 1: Very toxic to aquatic life.

Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

**Product Name** 2000RT Machine Paper Developer

Hazard Pictogram(s)







Signal Word(s)

Hazard Statement(s) H317: May cause an allergic skin reaction.

Warning

H319: Causes serious eye irritation. H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H410: Very toxic to aquatic life with long lasting effects.

### 2000RT Machine Paper Developer

P102: Keep out of reach of children. Precautionary Statement(s)

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)		Hazard Statement(s)	Hazard Pictogram(s)
Sodium sulphite	7757-83-7	231-821-4	10- 30%	Not classified	None
Potassium carbonate	584-08-7	209-529-3		Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	GHS07
Hydroquinone	123-31-9	204-617-8		Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS08 GHS07 GHS09
pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate	140-01-2	205-391-3		Met. Corr. 1 H290 Eye Irrit. 2 H319 Acute Tox. 4 H332 Repr. 2 H361	GHS05 GHS08 GHS07
sodium hydroxide	1310-73-2	215-185-5	<1%	Skin Corr. 1A H314	GHS05
4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one	13047-13-7	235-920-3	<1%	Acute Tox. 4 H302	GHS07

For full text of H/P Statements see section 16.

### **SECTION 4: FIRST AID MEASURES**

4.1 Description of first aid measures

Inhalation IF exposed or concerned: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse. If skin Skin Contact

irritation or rash occurs: Get medical advice/attention. Specific treatment (see

Medical Advice on this label). IF exposed or concerned:

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. IF exposed or concerned: Get medical

advice/attention. If eye irritation persists:

Ingestion IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation. Allergic contact dermatitis.

## 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

#### SECTION 5: FIREFIGHTING MEASURES

### 2000RT Machine Paper Developer

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 Environmental precautions

Avoid release to the environment. Spillages or uncontrolled discharges into

watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Collect spillage. Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and

watercourses

6.4 Reference to other sections

See Also Section 8, 13.

#### SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Keep out of reach of children.

Storage temperature

Stable under normal conditions. Storage life

Incompatible materials None known.

7.3 Specific end use(s) Photographic Developer Solution

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits										
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note				
Sodium hydroxide	1310-73-2				2					
Hydroquinone	123-31-9		0.5							

Region United Kingdom

UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

8.2 Exposure controls

Use with ventilation, local exhaust ventilation or breathing protection. A washing 8.2.1. Appropriate engineering controls

facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Wear eye protection with side protection (EN ISO 16321-1). Eye Protection

### 2000RT Machine Paper Developer



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour: Not known.

Not known.

Odour Not known. Odour threshold Not known. рΗ Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flash Point Not known. Evaporation rate Not known. Flammability (solid, gas) Not known.

Upper/lower flammability or explosive

limits

Vapour pressure Not known. Vapour density Not known. Density (g/ml) Not known.

Relative density Not known. Solubility(ies) Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient: n-octanol/water Not known. Auto-ignition temperature Not known. Decomposition Temperature (°C) Not known. Viscosity Not known. Explosive properties Not known. Oxidising properties Not known. 9.2 Other information

None.

#### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 15653.86

### 2000RT Machine Paper Developer

Acute toxicity - Skin Contact Calculation method : Not classified. Acute toxicity - Inhalation Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 768.37

Skin corrosion/irritation
Serious eye damage/irritation
Skin sensitization data

Calculation method : Causes mild skin irritation.
Calculation method : Causes serious eye irritation.
Calculation method : May cause an allergic skin reaction.

Germ cell mutagenicity Calculation method : Suspected of causing genetic defects.

Carcinogenicity Calculation method : Suspected of causing cancer.

Reproductive toxicity

Lactation

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

Calculation method : Not classified.

11.2 Other information

Not known.

#### SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse

site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

### SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

### **SECTION 15: REGULATORY INFORMATION**

### 2000RT Machine Paper Developer

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not listed

Not listed

Not listed

Not listed

Not listed

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Reproductive toxicants: Category 1 B (140-01-2), 4-(hydroxymethyl)-4-methyl-1-Restrictions on the manufacture, placing phenylpyrazolidin-3-one (13047-13-7), sodium hydroxide (1310-73-2), Potassium on the market and use of certain carbonate (584-08-7), Hydroquinone (123-31-9)

dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and

Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC)
Regulations concerning the export and

import of hazardous chemicals SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan (CoRAP) Hydroquinone (123-31-9)

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

#### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

#### LEGEND

Hazard Pictogram(s)



GHS08



GHS07



GHS09

GHS05: GHS: Corrosion

Hazard classification Met. Corr. 1 : Substance or mixture corrosive to metals, Category 1

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1A: Skin corrosion/irritation, Category 1A
Skin Irrit. 2: Skin corrosion/irritation, Category 2
Skin Sens. 1B: Skin sensitization, Category 1B

Fig. Dom. 1: Serious eve demaga/irritation, Category

Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Muta. 2 : Germ cell mutagenicity, Category 2 Carc. 2 : Carcinogenicity, Category 2 Repr. 2 : Reproductive toxicity, Category 2

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s) H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

### 2000RT Machine Paper Developer

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H361: Suspected of damaging fertility or the unborn child.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

#### Precautionary Statement(s)

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313: IF exposed or concerned: Get medical advice/attention.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage. P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

### Acronyms

ATE: Acute Toxicity Estimate CAS: Chemical Abstracts Service **DNEL**: Derived No Effect Level EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

# Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

data used to compile the SDS

Training Advice Disclaimers

Regular safety training as appropriate

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.