### 2150XL Fixer

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name 2150XL Fixer Product code 2150XL Fixer 1992182

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Photographic Fixer Solution

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification HARMAN Technology Ltd

Address of Manufacturer Ilford Way

Mobberley Knutsford Cheshire East WA16 7JL

Postal code WA16 7JL
Telephone: +44(0)1565 650000
Fax +44(0)1565 872734

E-mail web-admin@harmantechnology.com

Office hours

Supplier

Company Identification HARMAN Technology Ltd

Address of Supplier Ilford Way

Mobberley Knutsford Cheshire East WA16 7JL

Telephone: +44(0)1565 650000 Fax +44(0)1565 872734

E-mail web-admin@harmantechnology.com

Office hours

Postal code

1.4 Emergency telephone number

National response centre

Address NHS Direct Emergency Phone No. +44 111

# SECTION 2: HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Not classified as dangerous for supply/use.

UK SI 2020/1567

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name 2150XL Fixer

Hazard Pictogram(s) None.

Signal Word(s) None.

Hazard Statement(s) None.

Precautionary Statement(s) P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

None.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 2150XL Fixer

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W		Hazard Pictogram(s)
Ammonium Thiosulphate	7783-18-8	231-982-0	30- 60%	Not classified	None
Sodium Bisulphite	7631-90-5	231-548-0	1-5%	Acute Tox. 4 H302	GHS07
Acetic Acid	64-19-7	200-580-7			GHS02 GHS05

For full text of H/P Statements see section 16.

### SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Wash out mouth with water.
4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

As appropriate for surrounding fire.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

# SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not known.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Photographic Fixer Solution

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 2150XL Fixer

### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits									
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note			
Acetic acid	64-19-7	10	25	20	50				
Sodium hydrogen sulphite	7631-90-5		5						

Region United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

#### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN ISO 16321-1).



Skin protection Not normally required.



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance Liquid. Colour: Not known.

Odour Not known. Odour threshold Not known. рΗ Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flash Point Not known Evaporation rate Not known Flammability (solid, gas) Not known. Upper/lower flammability or explosive Not known.

limits

Vapour pressure Not known. Vapour density Not known. Density (g/ml) Not known. Relative density Not known.

Solubility(ies) Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient: n-octanol/water Not known. Auto-ignition temperature Not known. Decomposition Temperature (°C) Not known. Viscosity Not known. Explosive properties Not known. Oxidising properties Not known.

9.2 Other information

None.

# SECTION 10: STABILITY AND REACTIVITY

### 2150XL Fixer

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 12834.33

Acute toxicity - Skin Contact Calculation method: Not classified. Acute toxicity - Inhalation Calculation method: Not classified. Skin corrosion/irritation Calculation method: Not classified. Serious eye damage/irritation Calculation method: Not classified. Skin sensitization data Calculation method: Not classified. Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified. Lactation Calculation method : Not classified. STOT - single exposure Calculation method: Not classified. STOT - repeated exposure Calculation method: Not classified. Calculation method: Not classified. Aspiration hazard

11.2 Other information

Not known.

# SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

None known.

# SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

No special precautions are required for this product.

### SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

# 14.1 UN number

### 2150XL Fixer

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Acetic Acid (64-19-7), Sodium Bisulphite (7631-90-5)

Not listed

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) Not listed The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Not listed

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

# SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

# LEGEND

Hazard Pictogram(s) None.

GHS02: GHS: Flame GHS05: GHS: Corrosion

GHS07: GHS: Exclamation mark

Hazard classification Flam. Liq. 3 : Flammable liquid, Category 3

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1A: Skin corrosion/irritation, Category 1A

Hazard Statement(s) H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

Precautionary Statement(s) P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

## 2150XL Fixer

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents in accordance with local, state or national legislation.

ATE : Acute Toxicity Estimate

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

Regular safety training as appropriate

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

data used to compile the SDS

Training Advice Disclaimers

Acronyms

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information.

Freedom under Patents, Copyright and Designs cannot be assumed.