HARMAN Warmtone Paper Developer

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name HARMAN Warmtone Paper Developer

Product code 1140279

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Photographic Developer Solution

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification HARMAN Technology Ltd

Address of Manufacturer IIford Way Mobberley

Knutsford Cheshire East WA16 7JL

Postal code WA16 7JL
Telephone: +44(0)1565 650000
Fax +44(0)1565 872734

E-mail web-admin@harmantechnology.com

Office hours Supplier

Company Identification HARMAN Technology Ltd

Address of Supplier Ilford Way

Mobberley Knutsford Cheshire East WA16 7JL

Postal code WA16 7JL
Telephone: +44(0)1565 650000
Fax +44(0)1565 872734

E-mail web-admin@harmantechnology.com

Office hours

1.4 Emergency telephone number

National response centre

Address NHS Direct Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Skin Irrit. 2 :Causes skin irritation.

UK SI 2020/1567 Skin Sens. 1B :May cause an allergic skin reaction.

Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects.

Carc. 2 :Suspected of causing cancer.

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name HARMAN Warmtone Paper Developer

Hazard Pictogram(s)







GHSU:

Signal Word(s) Danger

Hazard Statement(s) H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

H341: Suspected of causing genetic defects. H351: Suspected of causing cancer.

H412: Harmful to aquatic life with long lasting effects.

HARMAN Warmtone Paper Developer

Precautionary Statement(s) P102: Keep out of reach of children.

P273: Avoid release to the environment.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

This product contains: 95-14-7 (Endocrine disrupting properties)

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)	
Potassium carbonate	584-08-7	209-529-3	10- 30%	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	GHS07	
tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	1-5%	Acute Tox. 4 H302 Eye Dam. 1 H318	GHS05 GHS07	
Hydroquinone	123-31-9	204-617-8	<2.3%	Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS08 GHS07 GHS09	
potassium hydroxide	1310-58-3	215-181-3	<1%	Acute Tox. 4 H302 Skin Corr. 1A H314	GHS05 GHS07	
4-methyl-1-phenyl-3- pyrazolidone	2654-57-1	220-180-6	<1%	Acute Tox. 4 H302 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS07 GHS09	
1-phenyl-3-pyrazolidone	92-43-3	202-155-1	<1%	Acute Tox. 4 H302 Aquatic Chronic 2 H411	GHS07 GHS09	

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation IF exposed or concerned: Get medical advice/attention.

Skin Contact

Take off immediately all contaminated clothing and wash it before reuse. If skin

irritation occurs: Get medical advice/attention. Specific treatment (see Medical

Advice on this label). IF exposed or concerned:

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

ngestion IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns. Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). IF exposed or concerned: Get

medical advice/attention. Treat symptomatically.

HARMAN Warmtone Paper Developer

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 Environmental precautionsSpillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and

watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Keep out of reach of children.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Photographic Developer Solution

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits										
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note				
Hydroquinone	123-31-9		0.5							
Potassium hydroxide	1310-58-3				2					

Region Source United Kingdom UK Wor

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing

facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN ISO 16321-1).

HARMAN Warmtone Paper Developer



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour: Not known.

Not known.

Odour Not known. Odour threshold Not known.

рΗ Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flash Point Not known. Evaporation rate Not known. Flammability (solid, gas) Not known.

Upper/lower flammability or explosive

limits

Vapour pressure Not known. Vapour density Not known. Density (g/ml) Not known.

Relative density Not known. Solubility(ies) Solubility (Water): Not known.

Solubility (Other): Not known. Partition coefficient: n-octanol/water Not known. Auto-ignition temperature Not known. Decomposition Temperature (°C) Not known. Viscosity Not known. Explosive properties Not known.

Oxidising properties 9.2 Other information

None.

Not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 7948.75

HARMAN Warmtone Paper Developer

Acute toxicity - Skin Contact
Acute toxicity - Inhalation
Skin corrosion/irritation

Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Causes skin irritation.

Serious eye damage/irritation
Skin sensitization data
Calculation method : Causes serious eye damage.
Calculation method : May cause an allergic skin reaction.

Germ cell mutagenicity Calculation method : Suspected of causing genetic defects.

Carcinogenicity Calculation method : Suspected of causing cancer.

Reproductive toxicity

Lactation

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

Listed in: List II: Substances under evaluation for endocrine disruption under an EU

legislation 95-14-7 (Environment)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse

site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

HARMAN Warmtone Paper Developer

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK RÉACH Authorisation List (Annex Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Potassium carbonate (584-08-7), Hydroquinone (123-31-9), 4-methyl-1-phenyl-3pyrazolidone (2654-57-1), Benzotriazole (95-14-7), tetrasodium ethylene diamine Restrictions on the manufacture, placing

on the market and use of certain dangerous substances, mixtures and tetraacetate (64-02-8), 1-phenyl-3-pyrazolidone (92-43-3), potassium hydroxide (1310-58-3), Potassium Bromide (7758-02-3)

articles

UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as

Not listed Not listed

amended

The Ozone-Depleting Substances and

Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations

Not listed

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and import of hazardous chemicals

SI2008/2108 as amended European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Hydroquinone (123-31-9), Benzotriazole (95-14-7)

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out. United Kingdom

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)





GHS09: GHS: Environment

Hazard classification Acute Tox. 4: Acute toxicity, Category 4

Skin Corr. 1A: Skin corrosion/irritation, Category 1A Skin Irrit. 2: Skin corrosion/irritation, Category 2 Skin Sens. 1: Skin sensitization, Category 1 Skin Sens. 1B: Skin sensitization, Category 1B

Eye Dam. 1: Serious eye damage/irritation, Category 1 Eve Irrit. 2: Serious eve damage/irritation. Category 2

STOT SE 3: Specific target organ toxicity — single exposure, Category 3

Muta. 2: Germ cell mutagenicity, Category 2 Carc. 2: Carcinogenicity, Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s) H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

HARMAN Warmtone Paper Developer

H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P321: Specific treatment (see Medical Advice on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
DNEL : Derived No Effect Level
EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

data used to compile the SDS

Training Advice
Disclaimers

Regular safety training as appropriate

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.