Ilfosol 3 Film Developer

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Ilfosol 3 Film Developer
Product code UFI	1131778 Y32S-5K8G-1UOP-M76G
	ubstance or mixture and uses advised against
Identified Use(s)	Photographic Developer Solution
Uses Advised Against	Not known.
1.3 Details of the supplier of the safe Manufacturer	ety data sheet
Company Identification	HARMAN Technology Ltd
Address of Manufacturer	llford Way
	Mobberley
	Knutsford
Postal code	Cheshire East WA16 7JL
Telephone:	+44(0)1565 650000
Fax	+44(0)1565 872734
E-mail	web-admin@harmantechnology.com
Office hours	
Supplier	
Company Identification Address of Supplier	HARMAN Technology Ltd Ilford Way
	Mobberley
	Knutsford
	Cheshire East
Postal code	WA16 7JL
Telephone:	+44(0)1565 650000
Fax E-mail	+44(0)1565 872734 web-admin@harmantechnology.com
Office hours	web-admin@namantechnology.com
1.4 Emergency telephone number	
1.4 Emergency telephone number National response centre	
National response centre Address	NHS Direct
National response centre Address Emergency Phone No.	+44 111
National response centre Address	+44 111
National response centre Address Emergency Phone No.	+44 111
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance o	+44 111 ON or mixture
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION	+44 111 ON or mixture Eye Irrit. 2 :Causes serious eye irritation.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance o	+44 111 ON or mixture
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance o	+44 111 ON or mixture Eye Irrit. 2 :Causes serious eye irritation.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP)	+44 111 ON or mixture Eye Irrit. 2 :Causes serious eye irritation.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP)	+44 111 ON or mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON Fr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements	+44 111 ON Fr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON br mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON Fr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON Fr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON Fr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP)
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON Pr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ilfosol 3 Film Developer OD
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	+44 111 ON Pr mixture Eye Irrit. 2 :Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ilfosol 3 Film Developer OD
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s)	+44 111 ON Primixture Eye Irrit. 2 : Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ifosol 3 Film Developer GHS07 Warning
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s)	+44 111 ON Pr mixture Eye Irrit. 2 : Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ilfosol 3 Film Developer GHS07 Warning H319: Causes serious eye irritation.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s)	+44 111 ON Pr mixture Eye Irrit. 2 : Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ifosol 3 Film Developer OV Ifosol 3 Film Developer OV Warning H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s)	+44 111 ON Pr mixture Eye Irrit. 2 : Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ilfosol 3 Film Developer GHS07 Warning H319: Causes serious eye irritation.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) Hazard Statement(s)	 +44 111 ON A mixture Eye Irrit. 2: Causes serious eye irritation. Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ifosol 3 Film Developer GHS07 Warning H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation. EUH208: Contains: (Hydroquinone) May produce an allergic reaction.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s)	 +44 111 ON Ar mixture Eye Irrit. 2: Causes serious eye irritation. Aquatic Chronic 3: Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ilfosol 3 Film Developer GHS07 Warning H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. EUH208: Contains: (Hydroquinone) May produce an allergic reaction. P102: Keep out of reach of children. P273: Avoid release to the environment.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) Hazard Statement(s)	 +44 111 ON Fr mixture Eye Irrit. 2: Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ifosol 3 Film Developer OV
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) Hazard Statement(s)	 +44 111 ON Fr mixture Eye Irrit. 2 : Causes serious eye irritation. Aquatic Chronic 3 : Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ilfosol 3 Film Developer GHS07 Warning H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. EUH208: Contains: (Hydroquinone) May produce an allergic reaction. P102: Keep out of reach of children. P273: Avoid release to the environment. P209: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
National response centre Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s) Hazard Statement(s)	 +44 111 ON Fr mixture Eye Irrit. 2: Causes serious eye irritation. Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects. According to Regulation (EC) No. 1272/2008 (CLP) Ifosol 3 Film Developer OV

Ilfosol 3 Film Developer

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards	
	This product contains: 95-14-7 (Endocrine disrupting properties)
2.4 Additional Information	
	For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration No.	%W/V	VHazard Statement(s)	Hazard Pictogram(s)
sodium carbonate	497-19-8	207-838-8	1-5%	Eye Irrit. 2 H319	GHS07
Hydroquinone	123-31-9	204-617-8	<1%	Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS08 GHS07 GHS09
4-(hydroxymethyl)-4-methyl-1- phenylpyrazolidin-3-one	13047-13-7	235-920-3	<1%	Acute Tox. 4 H302	GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
Hydroquinone	123-31-9			Acute Tox. 4 (H302) : 500
4-(hydroxymethyl)-4-methyl-1- phenylpyrazolidin-3-one	13047-13-7			Acute Tox. 4 (H302) : 500

Contains no non-classified vPvB substances. Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
Inhalation	Treat symptomatically.
Skin Contact	Treat symptomatically.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present
•	and easy to do. Continue rinsing. If eye irritation persists: Get medical
	advice/attention.
Ingestion	Treat symptomatically.
4.2 Most important symptoms and eff	fects, both acute and delayed
	May cause irritation.
4.3 Indication of any immediate media	cal attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.
5.2 Special hazards arising from the	substance or mixture
	May decompose in a fire, giving off toxic and irritant vapours.
5.3 Advice for firefighters	
	Fire fighters should wear complete protective clothing including self-contained

Ilfosol 3 Film Developer

breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE M	IEASURES
6.4. Demonstrations protective	
6.1 Personal precautions, protective e	equipment and emergency procedures
	Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.
6.2 Environmental precautions	
-	Spillages or uncontrolled discharges into watercourses must be alerted to the
	appropriate regulatory body.
6.3 Methods and material for contain	ment and cleaning up
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain
	spillages with sand, earth or any suitable adsorbent material. Earth may be
	shovelled to contain spillage and to avoid contamination of sewers and
	watercourses.
6.4 Reference to other sections	
	See Also Section 8, 13.
SECTION 7: HANDLING AND STORAG	E
SECTION 1. HANDEING AND STORAG	
7.1 Precautions for safe handling	
-	Wash hands and exposed skin thoroughly after handling. Wear protective
	gloves/protective clothing/eye protection/face protection.
7.2 Conditions for safe storage, inclu-	ding any incompatibilities
Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.
7.3 Specific end use(s)	
	Photographic Developer Solution

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters8.1.1 Occupational Exposure Limits

Occupational Ex	posure Limits					
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Hydroquinone	123-31-9		0.5			

Region United Kingdom

Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

8.2 Exposure controls

Notes

8.2.1. Appropri	ate engineering controls	Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.
8.2.2. Persona	protection equipment	
	Eye Protection	Wear eye protection with side protection (EN166).
(PUT)	Skin protection	Wear protective clothing and gloves: Impervious gloves (EN 374).
	Respiratory protection	Normally no personal respiratory protection is necessary.

Ilfosol 3 Film Developer



None known.

3

Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Thermal hazards

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Not known.
Odour	Not known.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and	Not known.
boiling range	
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Not known.
	Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	
	None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
-	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactio	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	None anticipated.
10.5 Incompatible materials	
	Not known.
10.6 Hazardous decomposition prod	
	No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 48318.52
Acute toxicity - Skin Contact Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 2331.99
Skin corrosion/irritation Serious eye damage/irritation Skin sensitization data Respiratory sensitization data Germ cell mutagenicity Carcinogenicity Reproductive toxicity Lactation STOT - single exposure STOT - repeated exposure	Calculation method : Not classified. Calculation method : Causes serious eye irritation. Calculation method : Not classified. Calculation method : Not classified.

Ilfosol 3 Film Developer

Aspiration hazard Calculation method : Not classified. 11.2 Information on other hazards Not known. SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Toxicity - Aquatic invertebrates Not known. Toxicity - Fish Not known Toxicity - Algae Not known. Toxicity - Sediment Compartment Not classified. Toxicity - Terrestrial Compartment Not classified. 12.2 Persistence and degradability Not known. 12.3 Bioaccumulative potential Not known. 12.4 Mobility in soil Not known. 12.5 Results of PBT and vPvB assessment Not known. 12.6 Other adverse effects Not known. SECTION 13: DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site. 13.2 Additional Information Disposal should be in accordance with local, state or national legislation. SECTION 14: TRANSPORT INFORMATION Not classified as hazardous for transport. 14.1 UN number or ID number Not applicable 14.2 UN proper shipping name Not applicable 14.3 Transport hazard class(es) Not applicable 14.4 Packing group Not applicable 14.5 Environmental hazards Not classified as a Marine Pollutant. 14.6 Special precautions for user Not known 14.7 Maritime transport in bulk according to IMO instruments Not known SECTION 15: REGULATORY INFORMATION 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed of Very High Concern for Authorisation UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation UK REACH Restrictions List (Annex XVII) sodium carbonate (497-19-8), Hydroquinone (123-31-9), 4-(hydroxymethyl)-4-Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles UK REACH Rolling Action Plan (RAP) Hydroquinone (123-31-9), Benzotriazole (95-14-7)

Ilfosol 3 Film Developer

The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as Not listed amended The Ozone-Depleting Substances and Not listed Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583) The Prior Informed Consent (PIC) Regulations concerning the export and Not listed import of hazardous chemicals SI2008/2108 as amended European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan (CoRAP) Hydroquinone (123-31-9) 15.2 Chemical Safety Assessment United Kingdom A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05: GHS: Corrosion GHS08: GHS: Health hazard GHS09: GHS: Environment

Hazard classification	Acute Tox. 4 : Acute toxicity, Category 4 Skin Sens. 1B : Skin sensitization, Category 1B Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 Muta. 2 : Germ cell mutagenicity, Category 2 Carc. 2 : Carcinogenicity, Category 2 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3
Hazard Statement(s)	 H302: Harmful if swallowed. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H341: Suspected of causing genetic defects. H351: Suspected of causing cancer. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	 P264: Wash hands and exposed skin thoroughly after handling. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances

Ilfosol 3 Film Developer

LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS Disclaimers Information contained in this publication or as otherwise supp

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.