Perceptol Developer (Part A)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Perceptol Developer (Part A)

(Contains: bis(4-hydroxy-N-methylanilinium) sulphate)

Product code 1960529

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Photographic Developer

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification HARMAN Technology Ltd

Address of Manufacturer Ilford Way

Mobberley Knutsford Cheshire East WA16 7JL

Postal code WA16 7JL Telephone: +44(0)1565 650000

Fax +44(0)1565 872734
E-mail web-admin@harmantechnology.com

Office hours

Supplier

Company Identification HARMAN Technology Ltd

Address of Supplier Ilford Way Mobberley

Knutsford Cheshire East

Postal code WA16 7JL

Telephone: +44(0)1565 650000 Fax +44(0)1565 872734

E-mail web-admin@harmantechnology.com

Office hours

1.4 Emergency telephone number

National response centre

Address NHS Direct Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Acute Tox. 4: Harmful if swallowed.

UK SI 2020/1567 Skin Sens. 1 :May cause an allergic skin reaction.

STOT RE 2: May cause damage to organs through prolonged or repeated exposure.

Aquatic Acute 1: Very toxic to aquatic life.

Aquatic Chronic 1 :Very toxic to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Perceptol Developer (Part A)

(Contains: bis(4-hydroxy-N-methylanilinium) sulphate)

Hazard Pictogram(s)







GHS08

Signal Word(s) Warning

Hazard Statement(s) H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Perceptol Developer (Part A)

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration	%W/W	Hazard Statement(s)	Hazard
		number(s)			Pictogram(s)
()	55-55-0			Acute Tox. 4 H302	GHS08
methylanilinium) sulphate				Skin Sens. 1 H317	GHS07
			1	STOT RE 2 H373 Aguatic Acute 1 H400	GHS09
			1	Aquatic Chronic 1 H410	

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Get medical advice/attention if you feel unwell.

Skin Contact Take off immediately all contaminated clothing and wash it before reuse. If skin

irritation or rash occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Get medical advice/attention if you feel unwell.

Eye Contact Get medical advice/attention if you feel unwell.

Ingestion Rinse mouth. Immediately call a POISON CENTRE/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Get medical advice/attention if

you feel unwell. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust generation. Do not breathe dust. Wear

suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Avoid release to the environment. Spillages or uncontrolled discharges into

watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Collect spillage. Sweep up spilled substance and remove to safe place. Use vacuum equipment for collecting spilt materials, where practicable. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain

Perceptol Developer (Part A)

spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Photographic Developer

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing

facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN ISO 16321-1).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough

time of the glove material: refer to the information provided by the gloves' producer.

(in)

Respiratory protection A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be

appropriate.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Solid.

Colour: Not known. Odour Not known. Odour threshold Not known. Not known. Melting point/freezing point Not known. Initial boiling point and boiling range Not known. Flash Point Not applicable. Evaporation rate Not known. Flammability (solid, gas) Not known. Upper/lower flammability or explosive Not known.

limits

Vapour pressure
Vapour density
Density (g/ml)
Relative density
Not known.
Not known.
Not known.

Perceptol Developer (Part A)

Solubility(ies) Solubility (Water): Not known. Solubility (Other): Not known.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature (°C)
Viscosity
Not known.
Explosive properties
Not known.
Oxidising properties
Not known.
Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method : Harmful if swallowed.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 800

Acute toxicity - Skin Contact
Acute toxicity - Inhalation
Skin corrosion/irritation
Serious eye damage/irritation

Calculation method : Not classified.

Skin sensitization data Calculation method : May cause an allergic skin reaction.

Respiratory sensitization data
Germ cell mutagenicity
Carcinogenicity
Carcinogenicity
Calculation method : Not classified.
STOT - single exposure

Calculation method : Not classified.

STOT - repeated exposure Calculation method : May cause damage to organs through prolonged or repeated

exposure.

Aspiration hazard Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

None known.

Perceptol Developer (Part A)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) Not listed The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC)

Not listed

Not listed

Regulations concerning the export and

import of hazardous chemicals SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out. United Kingdom

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Perceptol Developer (Part A)

Hazard Pictogram(s)







Hazard classification

Acute Tox. 4 : Acute toxicity, Category 4 Skin Sens. 1 : Skin sensitization, Category 1

STOT RE 2: Specific target organ toxicity — repeated exposure, Category 2 Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s)

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P260: Do not breathe dust/fume/gas/mist/vapours/spray. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water. P314: Get medical advice/attention if you feel unwell. P321: Specific treatment (see Medical Advice on this label).

P330: Rinse mouth.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE: Acute Toxicity Estimate CAS: Chemical Abstracts Service **DNEL**: Derived No Effect Level EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Training Advice Disclaimers

Regular safety training as appropriate

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.