According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroguinoneguinol, 1-phenyltetrazole-5-thiol,
	sodium hydroxidecaustic soda)
Product code	1757635
1.2 Relevant identified uses of the si Identified Use(s)	ubstance or mixture and uses advised against Photographic Developer Solution
Uses Advised Against	Not known.
1.3 Details of the supplier of the safe	ety data sheet
Manufacturer Company Identification	HARMAN Technology Ltd
Address of Manufacturer	llford Way
	Mobberley
	Knutsford Cheshire East
Postal code	WA16 7JL
Telephone:	+44(0)1565 650000
Fax E-mail	+44(0)1565 872734 web-admin@harmantechnology.com
Office hours	
Supplier	
Company Identification Address of Supplier	HARMAN Technology Ltd Ilford Way
Address of Supplier	Mobberley
	Knutsford
Postal code	Cheshire East WA16 7JL
Telephone:	+44(0)1565 650000
Fax E-mail	+44(0)1565 872734
Office hours	web-admin@harmantechnology.com
1.4 Emergency telephone number	
National response centre	
•	NUO Disc d
Address	NHS Direct +44 111
Address Emergency Phone No.	+44 111
Address	+44 111
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION	+44 111 ON
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of	+44 111 ON
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of	+44 111 ON or mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage.
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects.
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life.
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer.
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life.
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life.
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at UK SI 2020/1567 2.2 Label elements	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol,
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at UK SI 2020/1567 2.2 Label elements	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 at UK SI 2020/1567 2.2 Label elements	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol,
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol,
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol,
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol,
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name	+44 111 ON r mixture nd Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol,
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s)	+44 111 The second se
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name	 +44 111 ON A Skin Sens. 1B :May cause an allergic skin reaction. Eye Dam. 1 :Causes serious eye damage. Muta. 2 :Suspected of causing genetic defects. Carc. 2 :Suspected of causing cancer. Aquatic Acute 1 :Very toxic to aquatic life. Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects. According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567 Phenisol High Contrast Film Developer (Contains: 1,4-dihydroxybenzenehydroquinonequinol, 1-phenyltetrazole-5-thiol, sodium hydroxidecaustic soda)
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s) Signal Word(s)	+44 111 To a string the series of the serie
Address Emergency Phone No. SECTION 2: HAZARDS IDENTIFICATI 2.1 Classification of the substance of GB CLP Regulation, UK SI 2019/720 ar UK SI 2020/1567 2.2 Label elements Product Name Hazard Pictogram(s)	+44 111 The second se

	H341: Suspected of causing genetic defects. H351: Suspected of causing cancer. H410: Very toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	 P102: Keep out of reach of children. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. P405: Store locked up. P501: Dispose of contents in accordance with local, state or national legislation.
2.3 Other hazards 2.4 Additional Information	None known. For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)		Hazard Statement(s)	Hazard Pictogram(s)
Sodium sulphite	7757-83-7	231-821-4	5-10%	Not classified	None
Potassium sulphite	10117-38-1	233-321-1	5-10%	Not classified	None
1,4-dihydroxybenzenehydroquinonequinol	123-31-9	204-617-8		Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Dam. 1 H318 Muta. 2 H341 Carc. 2 H351 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS08 GHS07 GHS09
Potassium carbonate	584-08-7	209-529-3		Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	GHS07
Potassium bromide	7758-02-3	231-830-3	1-5%	Eye Irrit. 2 H319	GHS07
sodium hydroxidecaustic soda	1310-73-2	215-185-5		Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318	GHS05
pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate	140-01-2	205-391-3		Acute Tox. 4 H332 Repr. 2 H361 STOT RE 2 H373	GHS08 GHS07

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
Inhalation	IF exposed or concerned: Get medical advice/attention.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin
	irritation or rash occurs: Get medical advice/attention. Specific treatment (see
	Medical Advice on this label). IF exposed or concerned:
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present

Date of Issue: 18-07-2024 Date of Revision: 17-07-2027

Phenisol High Contrast Film Developer

Ingestion 4.2 Most important symptoms and effe 4.3 Indication of any immediate medica	and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. IF exposed or concerned: Get medical advice/attention. cts, both acute and delayed Causes burns. Allergic contact dermatitis. al attention and special treatment needed Specific treatment (see Medical Advice on this label). IF exposed or concerned: Get medical advice/attention. Treat symptomatically.
SECTION 5: FIREFIGHTING MEASURES	
 5.1 Extinguishing media Suitable Extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from the suitable 	As appropriate for surrounding fire. None. Ibstance or mixture May decompose in a fire, giving off toxic and irritant vapours.
5.3 Advice for firefighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.
SECTION 6: ACCIDENTAL RELEASE ME	ASURES
6.1 Personal precautions, protective ed6.2 Environmental precautions	Provide adequate ventilation. Ensure full personal protection (including respiratory protection) during removal of spillages. Avoid release to the environment. Spillages or uncontrolled discharges into
6.3 Methods and material for containm6.4 Reference to other sections	 watercourses must be alerted to the appropriate regulatory body. ent and cleaning up Collect spillage. Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses. See Also Section 8, 13.
SECTION 7: HANDLING AND STORAGE	
7.1 Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
7.2 Conditions for safe storage, includ	
Storage temperature Storage life Incompatible materials 7.3 Specific end use(s)	Ambient. Stable under normal conditions. None known.
	Photographic Developer Solution
SECTION 8: EXPOSURE CONTROLS/PE	RSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Expos	ure Limits					
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Hydroquinone	123-31-9		0.5			
Sodium hydroxide	1310-73-2				2	

Region United Kingdom

Source m UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark

8.2 Exposure controls

8.2.1. Appropriate engineering controls8.2.2. Personal protection equipment

Notes

Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

Date of Issue: 18-07-2024 Date of Revision: 17-07-2027

Phenisol High Contrast Film Developer

Eye Protection	Wear eye protection with side protection (EN ISO 16321-1).
Skin protection	Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
Respiratory protection	Normally no personal respiratory protection is necessary.
Thermal hazards	None known.
 mental Exposure Controls	Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Liquid.
Colour : Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Solubility (Water) : Not known.
Solubility (Other) : Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
Not known.
None.

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	None anticipated.
10.2	Chemical Stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	None anticipated.
10.5	Incompatible materials	Not known
10.6	Hazardous decomposition produc	

Date of Issue: 18-07-2024 Date of Revision: 17-07-2027

Phenisol High Contrast Film Developer

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 11112.1
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 3345.5
Skin corrosion/irritation	Calculation method : Causes mild skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye damage.
Skin sensitization data	Calculation method : May cause an allergic skin reaction.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Suspected of causing genetic defects.
Carcinogenicity	Calculation method : Suspected of causing cancer.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.
11.2 Other information	

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

	Very toxic to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	
	Not known.
12.3 Bioaccumulative potential	
ille Biedeballander peteridar	Not known.
	Not Miowii.
12.4 Mobility in soil	N1 - 4 Jun
	Not known.
12.5 Results of PBT and vPvB assess	ment
12.6 Other adverse effects	
	None known.
SECTION 13: DISPOSAL CONSIDERAT	TIONS
13.1 Waste treatment methods	
	Dispose of contents in accordance with local, state or national legislation. Send to
	a licensed recycler, reclaimer or incinerator. Dispose of this material and its
	container to hazardous or special waste collection point. Dispose at suitable refuse
	site.
13.2 Additional Information	
	Disposal should be in accordance with local, state or national legislation.
	· · · · · · · · · · · · · · · · · · ·
SECTION 14: TRANSPORT INFORMAT	ION

Not classified as hazardous for transport.

14.1	UN number	Not applicable
14.2	UN proper shipping name	Not applicable
		Not applicable
14.3	Transport hazard class(es)	Natapplicable
14 4	Packing group	Not applicable
		Not applicable
14.5	Environmental hazards	Not classified as a Marine Pollutant
14.6	Special precautions for user	Not classified as a marine Poliutant.

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental United Kingdom Regulations - Authorisa UK REACH Candidate List of Substances of Very High Concern for Authorisation UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation	
) Reproductive toxicants: Category 1 B (140-01-2), Potassium carbonate (584-08-7), 1,4-dihydroxybenzenehydroquinonequinol (123-31-9), Potassium bromide (7758-02-3), 1-phenyl-3-pyrazolidone (92-43-3), 1-phenyltetrazole-5-thiol (86-93-1), sodium hydroxidecaustic soda (1310-73-2)
UK REACH Rolling Action Plan (RAP) The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended	Not listed Not listed
The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583)	Not listed
The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended	Not listed
European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan (CoRAP) Hydroquinone (123-31-9) 15.2 Chemical Safety Assessment	
	A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



Hazard classification

Met. Corr. 1 : Substance or mixture corrosive to metals, Category 1 Acute Tox. 4 : Acute toxicity, Category 4 Skin Corr. 1A : Skin corrosion/irritation, Category 1A Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Skin Sens. 1B : Skin sensitization, Category 1B Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 Acute Tox. 4 : Acute toxicity, Category 4 STOT SE 3 : Specific target organ toxicity - single exposure, Category 3 Muta. 2 : Germ cell mutagenicity, Category 2 Carc. 2 : Carcinogenicity, Category 2 Repr. 2 : Reproductive toxicity, Category 2 STOT RE 2 : Specific target organ toxicity - repeated exposure, Category 2 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)	H290: May be corrosive to metals. H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H335: May cause respiratory irritation.
	H341: Suspected of causing genetic defects.
	H351: Suspected of causing cancer.
	H361: Suspected of damaging fertility or the unborn child.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	P102: Keep out of reach of children.
	P201: Obtain special instructions before use.
	P202: Do not handle until all safety precautions have been read and understood.
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272: Contaminated work clothing should not be allowed out of the workplace.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water.
	P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
	P308+P313: IF exposed or concerned: Get medical advice/attention.
	P321: Specific treatment (see Medical Advice on this label).
	P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364: Take off contaminated clothing and wash it before reuse.
	P391: Collect spillage.
	P405: Store locked up.
A	P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances
	LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for data used to compile the SDS	GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567
Training Advice	Regular safety training as appropriate
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed
	to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. HARMAN Technology
	Ltd gives no warranty as to the fitness of the product for any particular purpose and
	any implied warranty or condition (statutory or otherwise) is excluded except to the
	extent that exclusion is prevented by law. HARMAN Technology Ltd accepts no
	liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information.
	Freedom under Patents, Copyright and Designs cannot be assumed.
	-